







High Pressure Laminates

MAKE THAT CHANGE







TECHNICAL SPECIFICATION

Property	Unit	Nema LD-3	ISO : 4586	BS EN 438	TACO [®] HPL CONFORMS
Thickness	ММ	±0.10	±0.10	±0.10	V
Resistance to dry heat 180° C		SL	SL	SL	
Resistance surface wear	Revs/Cycle	400	350	350	V
Resistance to immersion in boiling water					
a. Mass increase		N.A	13.0 (Max)	13.0 (Max)	
b. Thickness increase		N.A	13.0 (Max)	13.0 (Max)	
c. Appearance		N.A	SL	SL	
Dimensional stability at deviated temperature					
a. Longitudinal	%	0.7 (Max)	0.675 (Max)	0.675 (Max)	V
b. Transverse	%	1.2 (Max)	1.17 (Max)	1.17 (Max)	V
Dimensional stability at 20° C					
a. Longitudinal		0.6 (Max)	0.43 (Max)	0.43 (Max)	
b. Transverse	&	1.1 (Max)	0.71 (Max)	0.71 (Max)	
Resistance to impact by small diameter ball	N	N.A	20	20	V
Resistance to cracking		N.A	SL	SL	
Resistance to scratching	N	N.A	2.0 (Min)	2.0 (Min)	V
Resistance to staining		N.E	N.E	N.E	
Resistance to cigarette burns	-	N.A	M.E	M.E	V
Resistance to steam	-	N.A	SL	SL	V

- Customers are advised to reconfirm the colour at the time of ordering.
- The shades and textures shown in the shade are the one only available of the shelf.
- TACO[®] HPL are 1220mm x 2440mm x 0.7mm (+/- 10%) unless otherwise stated.
- TACO® HPL are recommended for interior use only.
- Please inspect all products purchased before installation.











TACO only covers faults in the laminate product it self, and not after it has been processed into secondary product. Color may differ slightly from samples due to different production lots and this should be considered normal.



INNOVATION

TACOMPACT BOARD


Extremely rigid, durable and highly moisture & impact resistant, our TACOMPACT laminate boards are available in the standard 1220 mm x 2440 mm size with 12 mm thickness (other thicknesses available by request). TACOMPACT boards are suitable for heavy-duty areas of application such as toilet cubicles, partitions, protective wall claddings, wet rooms and high impact counter tops.



THICKNESS 12MM

POSTFORMING HPL

Our postforming grade laminate is crafted with high resin technology that presents a very slim yet elegant profile that leaves no room for any pointy sides due to its super flexible characteristic. Bendable up to a very small 7 mm radius, our postforming grade laminate allows continuous curve to avoid the need for covering edges! Get creative when designing furniture with our postforming HPL.



SUPER FLEXIBLE

LAB GRADE HPL

Even though all HPL is inherently hygienic due to its density and ease of clean, our antibacterial grade laminate provides extra protection as it is produced with a special nanosilver ion technology from Germany that is proven to inhibit bacterial growth and reduce the quantity of bacteria by 99%. This characteristic makes it perfect for use in hospitals, labs, schools, gyms and restaurants.



AVAILABLE BY REQUEST

"Please contact your TACO Project Sales Associate today!"

WHY TACO LAMINATES?



Your key benefi in choosing our

Having been established TACO is the largest support furnishing industry.

With our own manufacturing facility, we always advance endlessly with the sole aim to energize present products with superior benefits.


Our laminates are non-toxic with no formaldehyde emission content and conform to grade 2 fire retardancy as well as Greenguard and FSC certified.

We use imported press plates for precision, consistency and uniform sanding to make our laminates carpenter and DIY friendly.


Our laminate collection is offered in numerous colors and patterns with the latest trendy designs that do not easily fade and are also guaranteed to be available all across Indonesia.






















































WOODGRAIN GLOSS



Creme Deluxe Gloss TH 845 JG



Deco Brick Gloss TH 171 GL



Crimson Maple Gloss TH 846 JG







Dawn Concord Gloss TH 134 GL



Kunst Teak Gloss TH 178 GL



TH 1230 GL



Deco Dark Brown Gloss TH 172 GL



Dark Pesaro Gloss TH 865 JG



Midnight Concord Gloss TH 133 GL







Innocent Oak Timber **TH 853 TM**



Snowy Afromosia Timber TH 851 TM



Ash Afromosia Timber TH 849 TM



Greek Oak RE TH 19 RE



Ashley Juglans Timber **TH 862 TM**





Bleached Legno Logs **TH 869 LU**



Oregon Ash Wood Matte TH 66 WM





Preston Juglans Timber **TH 863 TM**



Auckland Oak Wood Matte TH 63 WM



Fine Bamboo Logs TH 308 LU



New Zealand Oak Spirit TH 1203 S



Dakota Oak Slate TH 1222 SL



Gold Oak RE TH 17 RE



Hansen Walnut RE **TH 882 RE**





Classic Legno Logs **TH 868 LU**



Cocoa Afromosia Timber TH 850 TM



Chocolate Afromosia Timber TH 852 TM



Donar Oak RE TH 15 RE



Golden Starwood Spirit **TH 271 S**



Hazel Chemari RE TH 872 RE






Nepal Teak Wood Matte TH 62 WM





Bradford Juglans Timber TH 861 TM















PATTERN GLOSS



Illusions Gloss TH 840 JG Smoke Illusions Gloss **TH 848 JG** Ash Ramone Gloss

TH 888 JG

Casablanca Gloss

TH 204 GL

PATTERN TEXTURED








Concrete Slate TH 1221 SL



Smoke Canty TH 1244 SL



Ash Ramone Slate TH 888 SL



Natural Ordin TH 1250 FA



Zinc Ordin TH 1251 FA



Astral Ordin TH 1252 FA

PATTERN TEXTURED





Ignia Linen TH 1238 FA



Cova Linen **TH 1240 FA**





TH 1239 FA



Smoke Brixter **TH 1236 FA**



Ashed Brixter TH 1237 FA



SOLID

SOLID






SOLID GLOSS




SOLID - TACORE

TACORE

with its homogeneous solid white color throughout, provides a seamless and optically pleasing laminate option to enhance innovative and stylish interior design.








CLEAN TOUCH


The new generation of solid colors with micro contour surface technology from Germany that is soft to the touch, highly non-reflective, strongly resists fingerprints and possesses amazing self-healing capabilities to minor scrapes and scratches for long-lasting effect.












Best Viewed in Large Format


Edging Available


H Horizontal












WOODGRAIN GLOSS



VENEER LAMINATES (1,00mm)



Thames Oak **Z-1001-V**



Real Walnut **Z-1002-V**



Congo Ebony **Z-1003-V**



Memphis Teak **Z-1000-V**



Cambridge Ash **Z-1005-V**





Spia Adresia **X-0059-DM**




Oro Slate X-0069-ST





Fanale Adresia X-0060-DM



Grafito Slate X-0070-ST







TACO HPL INDEX

No	Code	Edging	Page
1	TH 001 AA		28
2	TH 002 AA	•	27
3	TH 003 AA	•	27
4	TH 004 AA	•	27
5	TH 005 AA	•	27
6	TH 006 AA	•	27
7	TH 007 AA	•	27
8	TH 009 AA	•	27
		•	
9	TH 010 AA		27
10	TH 011 AA	•	27
11	TH 012 AA	•	27
12	TH 013 AA	•	27
13	TH 014 AA		27
14	TH 015 AA	•	27
15	TH 016 AA		28
16	TH 017 AA		27
17	TH 018 AA	•	27
18	TH 019 AA	•	27
		•	
19	TH 021 AA		27
20	TH 022 AA	•	27
21	TH 025 AA		27
22	TH 026 AA	•	27
23	TH 027 AA	•	27
24	TH 029 AA		27
25	TH 030 AA		27
26	TH 031 AA		27
27	TH 032 AA		27
28	TH 033 AA		27
29	TH 034 AA		27
30	TH 035 AA		27
31	TH 036 AA		27
32	TH 037 AA		27
33	TH 038 AA		27
34	TH 039 AA		27
35	TH 040 AA		27
36	TH 041 AA		27
37	TH 042 AA		27
38	TH 043 AA		27
39	TH 045 AA		27
40	TH 048 AA		27
41	TH 049 AA		27
42	TH 050 AA		27
43	TH 100 AA	•	04
44	TH 101 AA	•	05
45	TH 102 AA	•	05
46	TH 103 AA	•	05
47	TH 105 AA	•	13
48	TH 105 AA		14
		•	
49	TH 107 AA	•	10
50	TH 108 AA		10
51	TH 109 AA		07
52	TH 111 AA	•	04
53	TH 118 AA	•	11
54	TH 119 AA	•	08
55	TH 120 AA		03
56	TH 121 AA		02
57	TH 122 AA		06
	TH 123 AA		
58			08
59	TH 129 AA	•	08
60	TH 130 AA	•	09
61	TH 131 AA		06
62	TH 133 AA		14
63	TH 134 AA	•	02
64	TH 135 AA	•	07

No	Code	Edging	Page
65	TH 150 AA	•	08
66	TH 152 AA	•	09
67	TH 153 AA	•	01
68	TH 154 AA	•	05
69	TH 155 AA	•	12
70	TH 156 AA	•	13
71	TH 157 AA	•	05
72	TH 158 AA	•	13
73	TH 167 AA		04
74	TH 178 AA		03
75	TH 180 AA		14
76	TH 186 AA		01
	TH 187 AA TH 188 AA		02 15
	TH 200 AA		
79 80	TH 200 AA TH 212 AA	•	21 13
81	TH 215 AA	•	
82	TH 217 AA	-	10 09
83	TH 220 AA	•	02
84	TH 602 AL		21
85	TH 611 AL		21
86	TH 1034 B	•	12
87	TH 1038 B	•	04
88	TH 151 B	•	10
89	TH 202 B	•	10
90	TH 205 B	•	14
91	TH 252 B	•	14
92	TH 261 B	•	04
93	TH 262 B	•	14
94	TH 265 B	•	10
95	TH 266 B	•	11
96	TH 270 B	•	05
97	TH 271 B	•	09
98	TH 275 B	•	11
99	TH 276 B		04
100	TH 298 B	•	13
101	TH 688 B	•	14
102	TH 701 CR NEW		29
103	TH 702 CR NEW		29
104	TH 703 CR NEW		29
105	TH 701 CRG NEW		29
106	TH 702 CRG NEW		29
107	TH 703 CRG NEW		29
108	TH 003 D		28
109	TH 004 D		28
110	TH 009 D		28
111	TH 014 D		28
112	TH 015 D		28
113	TH 017 D		28
114	TH 018 D		28
115	TH 022 D		28
<u>116</u> 117	TH 026 D TH 038 D		28
118	TH 036 D		28
119	TH 189 DP NEW		22
120	TH 190 DP NEW		22
121	TH 191 DP NEW		22
122	TH 192 DP NEW		23
123	TH 193 DP NEW		23
124	TH 1235 FA		26
125	TH 1236 FA		26
126	TH 1237 FA		26
127	TH 1238 FA		26
128	TH 1239 FA		26

TACO HPL INDEX

No	Code	Edging	Page
129	TH 1240 FA		26
130	TH 1250 FA		25
131	TH 1251 FA		25
132	TH 1252 FA		25
133	TH 889 FC NEW		06
134	TH 890 FC NEW		11
135	TH 1200 FC	•	10
136	TH 1201 FC		14
137	TH 1202 FC	•	04
138	TH 1203 FC	•	07
139	TH 1205 FC	•	08
140	TH 1206 FC	•	09
141	TH 1207 FC	•	09
142	TH 1208 FC	•	13
143	TH 1211 FC	•	02
144	TH 1212 FC		01
145	TH 1215 FC	•	05
146	TH 1216 FC		12
147	TH 1217 FC		12
148	TH 1218 FC	•	07
149	TH 1221 FC		21
150	TH 1222 FC		07
151	TH 1224 FC		05
152	TH 1225 FC		06
153	TH 1230 FC		13
154	TH 1231 FC		15
155	TH 1232 FC		15
156	TH 1233 FC		15
157	TH 002 G	•	28
158	TH 003 G	•	28
159	TH 004 G	•	28
160	TH 005 G		28
161	TH 006 G		28
162	TH 007 G	•	28
163	TH 009 G	•	28
164 165	TH 011 G TH 014 G	•	28
166	TH 014 G		28
167	TH 017 G		28
168	TH 018 G		28
169	TH 019 G		28
170	TH 022 G		28
171	TH 026 G		28
172	TH 028 G	•	28
173	TH 029 G		28
174	TH 030 G		28
175	TH 031 G		28
176	TH 037 G		28
177	TH 038 G		28
178	TH 040 G		28
179	TH 042 G		28
180	TH 045 G		28
181	TH 1230 GL		16
182	TH 133 GL		16
183	TH 134 GL		16
184	TH 171 GL		16
185	TH 172 GL		16
186	TH 178 GL		16
187	TH 204 GL		24
188	TH 208 GL		24
189	TH 300 H	•	14
190	TH 301 H	•	10
191	TH 305 H	•	14
192	TH 308 H	•	07

No	Code	Edging	Page
193	TH 317 H		15
194	TH 321 H	•	07
195	TH 325 H	•	12
196	TH 327 H	•	04
197	TH 328 H	•	13
198	TH 352 H	•	05
199	TH 355 H	•	01
200	TH 356 H	•	09
201	TH 357 H	•	13
202	TH 359 H	•	08
203	TH 360 H	•	08
204	TH 361 H		12
205	TH 362 H	•	08
206	TH 363 H	•	05
207	TH 366 H	•	11
208	TH 368 H	•	08
209	TH 369 H		12
210	TH 370 H	•	14
211	TH 371 H	•	03
212	TH 372 H	•	10
213	TH 373 H	•	06
214	TH 374 H	•	13
215	TH 375 H	•	09
216	TH 381 H		01
217	TH 382 H TH 801 J		02
219		•	06
220	TH 802 J TH 805 J	•	09 11
221	TH 806 J	•	15
222	TH 807 J	•	08
223	TH 817 J	•	06
224	TH 818 J		12
225	TH 821 J	•	12
226	TH 824 J		12
227	TH 825 J	•	12
228	TH 839 J		03
229	TH 845 J	•	07
230	TH 846 J	•	11
231	TH 849 J		04
232	TH 850 J		07
233	TH 851 J		02
234	TH 852 J		06
235	TH 853 J		01
236	TH 861 J		09
237	TH 862 J		03
238	TH 863 J		08
239	TH 868 J		07
240	TH 869 J		03
241	TH 878 J		07
242	TH 881 J		03
243	TH 884 J TH 900 J	•	09
245	TH 900 J		11
246	TH 902 J	•	03
247	TH 903 J	•	02
248	TH 905 J	•	15
249	TH 906 J	•	21
250	TH 907 J	•	21
251	TH 908 J	•	12
252	TH 909 J	•	01
253	TH 910 J	•	04
254	TH 918 J	•	02
255	TH 920 J		08
256	TH 927 J	•	01

TACO HPL INDEX

No	Code	Edging	Page
257	TH 989 J NEW		23
258	TH 990 J NEW		23
259	TH 991 J NEW		03
260	TH 992 J NEW		22
261	TH 993 J NEW		15
262	TH 840 JG		24
263	TH 845 JG		16
264	TH 846 JG	•	16
265	TH 848 JG		24
266	TH 865 JG		16
267	TH 887 JG		24
268	TH 888 JG		24
269	TH 922 JG		24
270	TH 923 JG		24
271	TH 925 JG		24
272	TH 03 KM		20
273	TH 02 KY	•	17
274	TH 308 LU		18
275	TH 868 LU		19
276	TH 869 LU		17
277	TH 15 RE		19
278	TH 17 RE		18
279	TH 18 RE		20
280	TH 19 RE		17
281	TH 20 RE		20
282	TH 872 RE		19
283	TH 876 RE		20
284	TH 879 RE		20
285	TH 882 RE		18
	TH 884 RE		20
286	TH 1203 S		18
	TH 158 S		20
288			
289	TH 271 S		19
290	TH 002 SG		28
291	TH 003 SG		28
292	TH 004 SG		28
293	TH 1221 SL		25
294	TH 1222 SL		18
295	TH 1242 SL		25
296	TH 1244 SL		25
297	TH 888 SL		25
298	TH 849 TM		17
299	TH 850 TM		19
300	TH 851 TM		17
301	TH 852 TM		19
302	TH 853 TM		17
303	TH 861 TM		19
304	TH 862 TM		17
305	TH 863 TM		18
306	TH 61 WM		20
307	TH 62 WM		19
308	TH 63 WM		18
309	TH 66 WM		17
310	Q-8004-MR		41
311	Q-8005-MR		41
312	Q-9000-AF NEW		30
313	Q-9001-AF NEW		30
314	Q-9002-AF NEW		30
315	Q-9003-AF NEW		30
316	X-0008-G	•	37
317	X-0009-G	•	37
318	X-0011-G	•	37
319	X-0012-G		37
	X-0014-G		37

No	Code	Edging	Page
321	X-0016-R	•	31
322	X-0018-SU	•	41
323	X-0019-SU	•	41
324	X-0020-G	•	40
325	X-0020-SU		40
326	X-0031-R		31
327	X-0032-R		36
328	X-0037-WY	•	34
329	X-0044-CM	•	33
330	X-0045-CM	•	35
331	X-0046-CM	•	32
332	X-0047-CM		34
333	X-0048-CM		34
334	X-0049-CM	•	32
335	X-0050-CM	•	32
336	X-0051-CM		34
337	X-0052-CM	•	31
338	X-0056-CM	•	33
339	X-0059-DM		39
340	X-0060-DM		39
341	X-0062-DM	•	40
342	X-0063-DM	•	40
343	X-0064-G		40
344	X-0067-DM		40
345	X-0069-ST		39
346	X-0070-ST		39
347	X-0072-DM		33
348	X-0081-DM		35
350	X-0082-DM X-0083-G	•	35
351	X-0085-B X-0086-DM	•	32
352	X-0088-DM	•	35
353	X-0089-TR		31
354	X-0090-TR		36
355	X-0091-DM	•	34
356	X-0092-DM	•	34
357	X-0095-DM		32
358	X-0096-DM		35
359	X-0098-DM	•	31
360	X-0099-DM		35
361	X-0100-DM	•	35
362	X-0105-DM	•	42
363	X-0106-DM	•	42
364	X-0108-DM	•	31
365	X-0109-DM	•	33
366	X-0110-DM	•	36
367	X-0111-DM	•	36
368	X-0120-DM	•	31
369	X-0121-DM	•	33
370	Y-122-L		42
371	Y-123-L		42
372	Y-124-L		42
373	Y-125-L		42
374	Y-8001-ME		41
375	Z-1000-V		38
376	Z-1001-V		38
377	Z-1002-V		38
378	Z-1003-V		38
379	Z-1005-V		38
380	Z-8003-ME		41